

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.


Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

Fig. 1






Fig. 4





Fig. 3






Fig. 5

Fig. 6










Fig. 7









Fig. 9A

*Fig. 9B*




Fig. 10

Applicant(s): Edward E. Stockley

PROGRAMMABLE OVEN WITH BROILER TEMPERATURE
INTERLOCK




Fig. 11

Applicant(s): Edward E. Stockley


PROGRAMMABLE OVEN WITH BROILER TEMPERATURE
INTERLOCK

Fig. 12

Applicant(s): Edward E. Stockley

PROGRAMMABLE OVEN WITH BROILER TEMPERATURE
INTERLOCK




Fig. 13

Applicant(s): Edward E. Stockley

PROGRAMMABLE OVEN WITH BROILER TEMPERATURE
INTERLOCK




Fig. 14

FIG. 16A




FIG. 16B




FIG. 16C




FIG. 16D




FIG. 16E




FIG.17

SETUP SUBMENU:

BRINT	BROILER INTERLOCK TEMPERATURE	RANGE: TEMP LOW TO TEMP HIGH DEFAULT: 650F (343C)
-------	-------------------------------------	---

FIG. 15

